


**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

Claim 1. (Original) A thermoplastic resin composition comprising 100 parts by weight in total consisting of 99 to 50 parts by weight of a thermoplastic polyester resin (A) which does not form an anisotropic molten phase and 1 to 50 parts by weight of a liquid crystal polymer (B) capable of forming an anisotropic molten phase, and 0.001 to 2.0 parts by weight of one or more kinds of compounds (C) selected from phosphorus oxoacid monoesters and diesters represented by the following formulae (I) and (II):



wherein n is 1 or 2; X is a hydrogen atom, a hydroxyl group or a monovalent organic group and, when there are plural X's, they may be the same or different; and R is a monovalent organic group and, when there are plural R's, they may be the same or different.


Claim 2. (Original) The composition according to claim 1, wherein the thermoplastic polyester resin (A) not forming an anisotropic molten phase includes one or more kinds of resins selected from polycarbonate resin, polyalkylene terephthalate resin and polyarylate resin.

Claim 3. (Original) The composition according to claim 1, wherein the thermoplastic polyester resin (A) not forming an anisotropic molten phase includes one or more kinds of resins selected from polycarbonate resin and polyarylate resin.

Claim 4. (Original) The composition according to claim 1, wherein the thermoplastic polyester resin (A) not forming an anisotropic molten phase is polycarbonate resin.

Claim 5. (Original) The composition according to claim 2, wherein the polyalkylene terephthalate resin includes polyethylene terephthalate and/or polybutylene terephthalate resin.

Claim 6. (Previously Presented) The composition according to claim 1, wherein the phosphorus oxoacid monoester and diester (C) are phosphonates represented by the following formula (III):



wherein m is 0 or 1 and R is a monovalent organic group.

Claim 7. (Canceled).


Claim 8. (Previously Presented) The composition according to claim 1, which further contains a thermoplastic resin not forming an anisotropic molten phase, except for (A) and (B), in an amount of 1 to 90 parts by weight to 100 parts by weight of the total amount of (A) and (B).

Claim 9. (Previously Presented) The composition according to claim 1, which further contains an inorganic filler in an amount of 1 to 100 parts by weight to 100 parts by weight of the total amount of (A) and (B).

Claim 10. (Currently Amended) A molded article prepared by molding the composition according to claim 1 [[:]] .

Claim 11. (Previously Presented) An injection molded article, wherein the liquid crystal polymer (B) capable of forming an anisotropic molten phase is present in the state of fibers having an average aspect ratio of 5 or more in a matrix of the thermoplastic polyester resin (A) not forming an anisotropic molten phase as a result of an injection molding of the composition according to claim 1.

12. (Previously Presented) The composition according to claim 2, wherein the phosphorus oxoacid monoester and diester (C) are phosphonates represented by the following formula (III):



wherein m is 0 or 1 and R is a monovalent organic group.

13. (Previously Presented) The composition according to claim 3, wherein the phosphorus oxoacid monoester and diester (C) are phosphonates represented by the following formula (III):



wherein m is 0 or 1 and R is a monovalent organic group.

14. (Previously Presented) The composition according to claim 4, wherein the phosphorus oxoacid monoester and diester (C) are phosphonates represented by the following formula (III):



wherein m is 0 or 1 and R is a monovalent organic group.

15. (Canceled).

16. (Canceled).


17. (Previously Presented) The composition according to claim 2, which further contains a thermoplastic resin not forming an anisotropic molten phase, except for (A) and (B), in an amount of 1 to 90 parts by weight to 100 parts by weight of the total amount of (A) and (B).

18. (Currently Amended) The composition according to claim 2, which further contains ~~in~~ an inorganic filler in an amount of 1 to 100 parts by weight to 100 parts by weight of the total amount of (A) and (B).

19. (Previously Presented) A molded article prepared by molding the composition according to claim 2.

20. (Previously Presented) An injection molded article, wherein the liquid crystal polymer (B) capable of forming an anisotropic molten phase is present in the state of fibers having an average aspect ratio of 5 or more in a matrix of the thermoplastic polyester resin (A) not forming an anisotropic molten phase as a result of an injection molding of the composition according to claim 2.

Claim 21. (New) A thermoplastic resin composition comprising 100 parts by weight in total consisting of 99 to 50 parts by weight of a thermoplastic polyester resin (A) which does not form an anisotropic molten phase and 1 to 50 parts by weight of a liquid crystal polymer (B) capable of forming an anisotropic molten phase, and 0.001 to 2.0 parts by weight of one or more phosphonates (C) represented by the following formula:



wherein Y is a divalent  $\alpha$ ,  $\omega$ -dioxy organic group.

Claim 22. (New) The composition according to claim 21, wherein the thermoplastic polyester resin (A) not forming an anisotropic molten phase includes one or more kinds of resins selected from polycarbonate resin, polyalkylene terephthalate resin and polyarylate resin.

Claim 23. (New) The composition according to claim 21, wherein the thermoplastic polyester resin (A) not forming an anisotropic molten phase includes one or more kinds of resins selected from polycarbonate resin and polyarylate resin.